

Notice of Allowability	Application No.	Applicant(s)	
	10/689,761	SHIMURA ET AL.	
	Examiner	Art Unit	
	Jaworski Francis J.	3737	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to IDS filed 10-23-2003.
2. ☒ The allowed claim(s) is/are 1- 17.
3. ☒ The drawings filed on 22 October 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>10-23-2003</u> 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. 7. <input type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____. |
|---|--|


Francis J. Jaworski
Primary Examiner

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: In addition to the prior art provided by applicants in the IDS filed 10-23-2003 the following art directed to tissue or other material point characterizations including power and/or incident angle-based characterizations is cited as of interest:

Abend.(US6682483) is directed to determining the three-dimensional locations of highest Doppler power within a blood vessel and the Doppler spectral distribution at those locations.

Rachlin (US5268876) suggests using an integral of a backscatter function to calculate image sharpness in relation to degree of phase aberration distortion present.

Antich et al (US5038787) analyzes signal amplitude in Fig. 2 versus angle of incidence to determine critical angle for bone as an index of bone integrity for osteoporosis diagnosis.

Nakaso et al (US5402681) teaches in Figs. 16 – 19 the analysis of a range of ultrasound incidence angles versus reflection intensity for selection of orientation of transducers for material phase velocity measurements.

Gelbach (US5131394) uses Doppler-derived audible pitch versus needle tip aiming angle on approach to annunciate approach to a blood vessel for puncture.

None of the prior art alone or in combination teaches or suggests structure for obtaining an integral of backscattered ultrasound over a predetermined

Art Unit: 3737


incident angle range and for determining a parameter indicating a degree of puncture difficulty from said integral.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Jaworski Francis J. at telephone number 703-308-3061.

FJJ:fjj

11-05-2004


Francis J. Jaworski
Primary Examiner